133

58

BEEA
BEAUTY

TB-2382
REMS Uređaj za lepotu
Upute za korištenje

TB-2382 64.23820.0001
58*133mm
105g + 36P

Table of Contents

01 Safety Instructions
Warning & Precautions — 1
02 Product Management
Device Specifications / Device Components / Device Features — 7
03 Preparing for Use
Charging the Device / Turn ON-OFF & Mode Switch / Important Notice — 5
04 How to Use
Using the Device / Usage Precautions — 10
05 Product Management
Cleaning & Maintenance / Storage / Disposal Information — 9
06 After-Sales Service
Troubleshooting / Warranty / Contact Us — 15

A0
A1
A2
A3
A4
A5

TOUCHBeauty

2023.08.08

A0

Safety Instructions TB-2382

☞ Important Notice: This manual is available in two languages: Croatian and English. If any dispute or confusion arises caused by the translation, the English version shall prevail.
☞ To ensure the proper operation of this device, please read this instruction manual carefully before first use and keep it for further reference.

⚠ WARNING
• This device is not designated for use as a toy and is not suitable for children to use or play with. Please ensure it is kept out of children's reach.
•Prior to usage, always verify the condition of the device. Do not use it if it's damaged or broken.
•Do not immerse the device in water or other liquids, nor touch the plug with wet hands/body. This is normal and does not affect its use.
•Keep the USB charging cable and the device's charging terminal dry.

⚠ PRECAUTIONS
Do not use this device in the following situations:
- Pregnant women or while nursing; children; people who have a pacemaker or other electronic medical equipment; people with allergic reactions.
• If the treatment area has skin conditions, such as open wounds, ringworm, eczema, rash, burns, sunburn, abnormal wound healing, etc. with massage on.
• If you have diabetes, systemic lupus erythematosus, porphyria, or congestive heart failure, as well as those with bleeding disorders, a history of immunosuppressive conditions (including HIV infection or AIDS).
• If you have medical electronic equipment like a pacemaker or internal defibrillator, please do not use this device. Additionally, do not use it on areas with implanted medical electronic equipment.
• If you have pancreas, or any suspicious skin lesions in the area of application, please do not use this device.
• If you have a large area of metal implants in face, we do not recommend using the device.
• If you have a fever, or if you are in the acute phase of an infectious disease, please avoid using the beauty treatments.
• Do not use this device if you have any skin conditions that can be triggered by thermal stimulation, such as recurrent herpes simplex virus infections.
• Do not use this device if you have allergies to the following ingredients:
- If your skin is currently being treated with or has recently been treated with Alpha-Hydroxy Acids (AHAs), Beta-Hydroxy Acids (BHAs), topical tretinoin, and azelaic acid.
• If you have been any form of Accutane A or Roaccutane A within the past six months.

It is recommended to only use water based products. Using other products may affect the normal operation of this device and its microelectronics functions.

Device Description TB-2382

Device Specifications
Name: REMS Beauty Device
Model No.: TB-2382
Input: 5V⎓1A
Type of Battery: Li-ion 3.7V 920mAh
Executive Standard: Q/SW 020-2020

Picture 7

Picture 1

Preparing for Use TB-2382

☞ The device comes partially charged. Please ensure to charge the device using the USB-charging cable before first use.

Charging Instructions
• This device utilizes a USB-charging system. Prior to charging, connect the charging cable to the device's charging terminal and to an adapter compliant, not included (choose a high-output adapter with 5V output as indicated on the device label). Plug the adapter into a power source to start charging the device. (Picture 3)

Picture 3

• When charging, the intensity level indicators light up in a cycle. Once fully charged, the intensity level indicators light up continuously. (Picture 4)

Picture 4

• Charging the device takes 2.5 hours. A full battery allows for ≥60 minutes of continuous use.
• When the device is running out of battery, the mode and intensity level indicators flash five times simultaneously, prompting you to recharge the device.
Turn ON-OFF & Mode Switch
The ON-OFF/Mode Switch and intensity level buttons are designed vertically as fingertip buttons for convenient use. The upper button controls ON-OFF and mode, the lower button adjusts intensity levels. Hold the upper button for 3 seconds to switch between 700 W/ 900 W/ Cooled. A Short press on the same button enables easy mode adjustment in a cycle. You can choose between 4 different modes. In power OFF the device, press the button for 1second, and you will hear a "DD-ME" sound. The lower button allows you to adjust the intensity level from 1 to 3 in a cycle.

Picture 5

Please consult the table below for proper device operation instructions:

Action	Mode Function	Operating Time	Mode Indicator Light	Intensity Level Adjustment	Operation Status
Short Quick press	Cycling Mode (Off→Light→Deep→Off)	After initial use	Mode indicator lights up/flashes	The intensity level indicator lights up/flashes	Mode Switch to the next mode
LONG PRESS	Turning Mode (Off→Red→Cool→Off)	3 seconds	Mode indicator lights up/flashes	Mode indicator lights up/flashes	The intensity level indicator lights up/flashes simultaneously, prompting you to recharge the device
Short Quick press	Brightening/Dim (Off→Red→Cool→Off)	After initial use	Mode indicator lights up/flashes	Mode indicator lights up/flashes	Mode Switch to the next mode
MULTI-FUNCTION	Cycling Mode (Off→Red→Cool→Off)	3 seconds	Mode indicator lights up/flashes	Mode indicator lights up/flashes	Mode Switch to the next mode

Made switching sequence (TIGHTENING, LIFTING, BRIGHTENING, MULTI-FUNCTION in a cycle. When switching to a specific mode, the corresponding mode indicator lights up. Picture 5

Picture 5

Intensity levels switching sequence (1,2,1,3) - cycle. When switching to a specific intensity level, the corresponding intensity level indicator lights up. (Picture 6)

Picture 6

You can adjust the following modes according to your skin and localized needs:

Mode	TIGHTENING	LIFTING	BRIGHTENING	MULTI-FUNCTION
Function Activated	RF+Red Light	EMS+Red Light	EMS+Red Light	RF+Red Light
Function Activated	Firm	Lift	Brighten	Multifunctional skincare

☞Important Notice:
• This device has an intensity-level memory function. When powered OFF with the remaining battery, it will resume the mode and intensity level last used. If the device runs out of battery and is recharged, it will restart with the default mode.

☞ This device does not include skincare products. You can use your preferred skincare products or purchase the skincare products recommended by BEEA Beauty.

How to Use TB-2382

For proper operation of this device, please read the instructions carefully before use.
Using the Device
☞ Prior to using the device, cleanse your skin and ensure the device is sufficiently charged.
☞ Using Instructions:

Mode	Function/Mode	Recommended Using Method	Using Technique
TIGHTENING	Energy/Mode: RF+L	• Start by cleansing your face. Once you've recommended gel to your face. Turn ON the device and select TIGHTENING mode. • Adjust the intensity level based on your skin's tolerance and sensitivity. • Gently position the massage head on your skin, as illustrated. Massage the skin in alternate lifting strokes, moving from bottom to top. Recommended session duration: 4-6 minutes. • After use, turn OFF the device.	
LIFTING	Energy/Mode: EMS+Red Light		
BRIGHTENING	Brightening/Mode: EMS+Red Light		

LIFTING	Lifting Mode: RF+Red Light Therapy	• Apply toner or a sheet mask to your face. • Turn ON the device and select LIFTING mode. • Adjust the intensity level based on your skin's tolerance and sensitivity. • Gently position the massage head on your skin, as illustrated. Please the skin in upward lifting motions, moving from bottom to top. Recommended session duration: 4-6 minutes. • After use, turn OFF the device, clean it, and place the protective cap back on.
BRIGHTENING	Brightening/Mode: EMS+Red Light Therapy	

MULTI-FUNCTION	Multi-Function Mode: RF+Red Light Therapy	• Apply recommended gel onto your face. • Turn ON the device and select MULTI-FUNCTION mode. • Adjust the intensity level based on your skin's tolerance and sensitivity. • Gently position the massage head on your skin, as illustrated. Massage the skin in upward lifting motions, moving from bottom to top. Recommended session duration: 4-6 minutes. • After use, turn OFF the device, clean it, and place the protective cap back on.

Important Notice:
☞ Usage Precautions
• Please remove all jewelry, including earrings, rings, and necklaces.
• Do not use the device on areas with open wounds. If a wound appears during the complete the session cycle, make sure to apply more as needed.
• Before initial use, apply a small amount of gel or essence to the inside of the arm to ensure it will not cause a skin reaction.

Product Management TB-2382

Cleaning & Maintenance
• Always ensure the device is turned OFF before cleaning.

• Use the device with the gel or essence on the inside of the arm 24h before initial use. Mild redness or slight swelling may occur and disappear quickly. If these symptoms persist beyond 24 hours, please consult a doctor.
• Avoid prolonged usage on the cheeks or other areas you don't want to reduce volume.
• Microelectronics produce a mild warm sensation. If you feel the temperature is not enough for your skin, slow down the massage speed or increase the intensity level to achieve the desired treatment speed until you reach a comfortable level.
• During use, do not leave the device in one place without movement for longer than 2-3 seconds. This prevents unnecessary minor burns due to different skin sensitivity and tolerance.
• Do not stare or look directly at the light source.
• Skin sensation and results can vary among individuals and area of use.

• Do not immerse or clean the device with water or other liquid substances. After cleaning, dry the device with a dry cloth or allow it to air dry in a well-ventilated area.
• Do not use steel wool, abrasive cleaning products, chemicals, or corrosive detergents to clean the device.
• Clean the device with a clean, slightly damp cloth.
Storage
• This device has a lithium battery. Store the device in a dry, room-temperature environment away from direct sunlight. Avoid exposing it to hot and humid conditions. If you don't use the device for extended periods, fully charge it before storage.
Disposal Information
• Lithium batteries contain substances that may be harmful to the environment. Please do not incinerate this device to avoid the risk of explosion. Do not dispose of this device with domestic waste. Instead, hand it over to an authorized recycling facility for proper disposal and environmental protection.

After-Sales Service

Problem	Possible Cause	Solution
The device is not working.	The battery is running low or out of power.	Charge the device.
Other problems.	Please consult with your local distributor.	

Note: If the device still does not work properly after using the above solutions, please stop using the device and contact the store or local distributor.

Contact Us
Make sure that you receive an unopened box.
☞ This warranty does not cover damages caused by the customer. In this case, the customer is responsible for covering the repair cost.

If you need to learn more about our products or if you need more information, please contact your local distributor or visit www.beauteauty.com.

Table Sadržaja

01 Sigurnosne upute
Upozorenja i mjere opreza — 1
02 Upravljanje uređajem
Specifikacije uređaja / Komponente uređaja / Značajke uređaja — 7
03 Priprema za korištenje
Punjenje uređaja / Uključivanje i isključivanje & Preklapanje načina rada / Ključ za upotrebu — 5
04 Kako koristiti
Korištenje uređaja / Mjere opreza pri korištenju — 10
05 Upravljanje uređajem
Čišćenje i održavanje / Skladištenje / Informacije o odlaganju — 9
06 Usluge nakon prodaje
Otklanjanje poteškoća / Jamstvo / Kontaktirajte nas — 15

Sigurnosne upute TB-2382

• Ključ napomena: Ova uputa je dostupna u dvije jezika: hrvatskom i engleskom. Ako dođe do bilo kakve zbrke ili sukoba uzrokovane prijevodom, engleska verzija ima prednost.
☞ Kako biste osigurali ispravan rad ovog uređaja, molimo pažljivo pročitajte ovu priručnik prije upotrebe uređaja i čuvajte ga za buduću referencu.

⚠ UPOZORENJA
Ovaj uređaj nije namijenjen za upotrebu kao igračka i nije prikladan za djecu. Molimo osiguajte da bude izvan dosega djece.
Prije upotrebe provjerite stanje uređaja. Ne koristite ga ako je oštećen ili slomljen.
Ako se koristi u suhom okruženju, nakvasite ruke uređajem može generirati statičk elektricet. To je normalno i ne utječe na njegovu upotrebu.
Držite USB kabel za punjenje i terminal za punjenje uređaja suhima.

⚠ MJERE OPREZA
Ne koristite uređaj u sljedećim situacijama:
• Trudnoć ili dojilje; djeca; osobe s ugrađenim pacemakerom ili drugim elektronskim medicinskim uređajem; osobe s alergijskim reakcijama.
• Ako postoje fotosenzibilizacije lijekove ili bilo koji drugi lijek koji vam je propisao lječnik, molimo vas da prije upotrebe uređaj za njegovu pripremu konzultirate svoju ordinaciju. Ako uzete ili ste uzeli lijekove navedene u nastavku, nemojte koristiti ovu uređaj.
- Uzimanje izotretina (npr. Accutane ili Roaccutane) u prošlosti.
• Ako imate dermatitis herpetiformis, sistemski lupus eritematozus, porfiriju ili kongestivno zatajenje srca, kao i osobe s poremećajima zgrušavanja, imunosupresivnim stanjima (uključujući HIV infekciju ili AIDS), ne koristite ovu uređaj.
• Ako imate medicinsku elektronsku opremu, poput pacemakera ili unutarnjeg defibrilatora, nemojte koristiti ovaj uređaj. Također, nemojte ga koristiti ako imate aktivnu ili dijagnosticiranu srčanu bolest.
• Ako imate veliku površinu metalnih implanata na licu, ne preporučujemo korištenje uređaja.
• Ako imate veliku površinu metalnih implanata na licu, ne preporučujemo korištenje uređaja.
• Nemojte koristiti ovaj uređaj ako imate trenutno prisutnu kožu koja trenutno zaziva iz kemikalija.
• Nemojte koristiti ovaj uređaj ako imate bilo kakve otvorene rane ili kožne uvjete koji bi mogli biti pogoršani toplinom.
• Ako imate bilo kakve bolesti koje ometaju bilo koji od gornjih kriterija.
• Ako se radi o kožnoj bolesti koji je nedavno bio liječen alfa-hidroksi kiselinama (AHA), beta-hidroksi kiselinama (BHA), topikalnim izotretinoinom i azelaćnom kiselinom.
• Ako ste uzimali bilo koji oblik Accutane A ili Roaccutane A unutar posljednjih šest mjeseci.

Opis uređaja TB-2382

Specifikacije Proizvoda
Ime: REMS Uređaj za ljepotu
Broj Modela: TB-2382
Ulaz: 5V⎓1A
Tip Baterije: Li-ion 3.7V 920mAh
Izvršni Standard: Q/SW 020-2020

Komponente Uređaja (Slika 5)
① Glavna jedinica
② Izolirani punjenje (Magnetski)
③ Kabel za punjenje

Slika 1

Upute za punjenje
• Ovaj uređaj koristi USB sustav punjenja. Prije punjenja, priključite kabel za punjenje na priključak za punjenje uređaja i na adaptor (nije uključen, odaberite adaptor s visokim izlazom u skladu sa 5V kako je naznačio na oznaci uređaja). Uključite adaptor u izvor napajanja kako biste započeli punjenje uređaja. (Slika 3)

Slika 3

• Tijekom punjenja, indikatori razine intenziteta svijetle u ciklusu. Kada je baterija potpuno napunjena, indikatori razine intenziteta svijetle stalno. (Slika 4)

Slika 4

• Punjenje uređaja traje 2.5 sata. Potpuno napunjena baterija omogućuje ≥60 minuta neprekidne upotrebe.
• Kada baterija uređaja ponestane snage, indikatori razine intenziteta trepću pet puta istovremeno, što vas upozorava da ponovno napunite uređaj.
Uključivanje/Isključivanje & Promjena načina rada
Tipke za uključivanje/isključivanje i razine intenziteta su dizajnirane vertikalno kao tipke za dodir radi lakše upotrebe. Gornja tipka služi kao tipka za uključivanje/isključivanje i promjenu načina. Pritisnite je na jedno sekundu da biste aktivirali uređaj, zatim ponovno pritisnite i zadržite tipku 3 sekunde da biste odabrali 700 W/ 900 W/ Cooled. Kratko pritisnite na isti tipku omogućuje jednostavnu prilagođavanje načina rada u ciklusu. Možete birati između 4 različite opcije. Dok je uređaj isključen, pritisnite tipku na jedno sekundu i čut ćete zvuk "DD-ME". Donja tipka omogućuje vam prilagođavanje razine intenziteta od 1 do 3 u ciklusu.

Picture 5

Picture 5

Intensity levels switching sequence (1,2,1,3) - cycle. When switching to a specific intensity level, the corresponding intensity level indicator lights up. (Picture 6)

Picture 6

• Molimo pogledajte donju tablicu za pravilne upute za upotrebu uređaja

Action	Mode Function	Operating Time	Mode Indicator Light	Intensity Level Adjustment	Operation Status
Kratko pritisnite	Ciklus načina rada (Off→Light→Deep→Off)	Nakon početnog korištenja	Indikator načina rada svijetli/trepće	Indikatori razine intenziteta svijetli/trepće	Prebacivanje na sljedeći način rada
DUGO PRITISNITE	Ciklus uključivanja (Off→Crvena→Cool→Off)	3 sekunde	Indikator načina rada svijetli/trepće	Indikatori razine intenziteta svijetli/trepće	Kada je baterija gotovo prazna, indikatori razine intenziteta trepću pet puta istovremeno, kako biti vas podsjetili da ponovno napunite uređaj
Kratko pritisnite	Ciklus osvjetljenja/ Dim (Off→Crvena→Cool→Off)	Nakon početnog korištenja	Indikator načina rada svijetli/trepće	Indikatori razine intenziteta svijetli/trepće	Kada je baterija gotovo prazna, indikatori razine intenziteta trepću pet puta istovremeno, kako biti vas podsjetili da ponovno napunite uređaj
MULTI-FUNCTION	Ciklus načina rada (Off→Crvena→Cool→Off)	3 sekunde	Indikator načina rada svijetli/trepće	Indikatori razine intenziteta svijetli/trepće	Prebacivanje na sljedeći način rada

Picture 6

Usluge nakon prodaje TB-2382

Rješavanje problema

Problem	Potencijalni uzrok	Rješenje
Uređaj ne radi	Baterija je niska ili potpuno prazna	Napunite uređaj
Drugi problemi	Molimo da se kontaktirate s distributerom	

Napomena: Ako uređaj i dalje ne radi ispravno nakon što ste pokušali navedena rješenja, prestanite koristiti uređaj i obratite se trgovini ili lokalnom distributeru.

Ako biste uživali više u našim proizvodima ili trebate bilo kakve informacije, obratite se svom distributeru ili posjetite www.beauteauty.com

Jamstvo
Ne dopustite da vaši prilozi budu ili dobiju kopiran proizvod.
Trajanje jamstva je 2 godine. U slučaju kvara uređaj možete vratiti dobavljaču u roku od 7 dana od primanja robe, pod uvjetom da je uređaj u izvornom stanju i da je u potpunosti ispunjen. Ne prihvaćamo zamjenu ili povrat ako je uređaj nepotpun ili ako je bio neispravnim uzrok oštećenja uzrokovanih nepravilnim korištenjem, pokušajem rastavljanja, pokušajem da popravite uređaj ili bilo kakvim drugim uzrokom koji nije u kupcu. Ne prihvaćamo ni zamjenu ili povrat ako je uređaj bio u kontaktu s vodom ili drugim tekućinama, ako je uređaj bio izložen ekstremnim temperaturama ili ako je uređaj bio u kontaktu s kemikalijama. Ne prihvaćamo ni zamjenu ili povrat ako je uređaj bio u kontaktu s vodom ili drugim tekućinama, ako je uređaj bio izložen ekstremnim temperaturama ili ako je uređaj bio u kontaktu s kemikalijama.